



ELSEVIER

Discrete Mathematics 194 (1999) 299–300

DISCRETE
MATHEMATICS

Author index to volume 194 (1999)

- Ábrego, B., J.L. Arocha, S. Fernández-Merchant and V. Neumann-Lara, Tightness problems in the plane (1–3) 1– 11
- Arocha, J.L., see B. Ábrego (1–3) 1– 11
- Ayala, R., M.J. Chávez, A. Márquez and A. Quintero, On the connectivity of infinite graphs and 2-complexes (1–3) 13– 37
- Bylka, S., A. Idzik and Z. Tuza, Maximum cuts: Improvements and local algorithmic analogues of the Edwards–Erdős inequality (1–3) 39– 58
- Chávez, M.J., see R. Ayala (1–3) 13– 37
- Chen, B.-L., L. Dong, Q.-Z. Liu and K.-C. Huang, Total colorings of equibipartite graphs (1–3) 59– 65
- Choffrut, C. and M. Goldwurm, Determinants and Möbius functions in trace monoids (Note) (1–3) 239–247
- Cochand, M. and G. Károlyi, On a graph colouring problem (Note) (1–3) 249–252
- Csizmádia, G., The multiplicity of the two smallest distances among points (1–3) 67– 86
- Desrosiers, J., see O. du Merle (1–3) 229–237
- Dong, L., see B.-L. Chen (1–3) 59– 65
- Drake, D.A., G.H.J. van Rees and W.D. Wallis, Maximal sets of mutually orthogonal Latin squares (1–3) 87– 94
- du Merle, O., D. Villeneuve, J. Desrosiers and P. Hansen, Stabilized column generation (Communication) (1–3) 229–237
- Eckhoff, J., The maximum number of triangles in a K_4 -free graph (1–3) 95–106
- Fernández-Merchant, S., see B. Ábrego (1–3) 1– 11
- Gibson, P. and R. Maltby, Posets in which every cutset meets every fibre (1–3) 107–127
- Goldwurm, M., see C. Choffrut (1–3) 239–247
- Gulliver, T.A. and M. Harada, Extremal double circulant Type II codes over \mathbb{Z}_4 and construction of 5-(24, 10, 36) designs (1–3) 129–137
- Hansen, P., see O. du Merle (1–3) 229–237
- Harada, M., see T.A. Gulliver (1–3) 129–137
- Huang, K.-C., see B.-L. Chen (1–3) 59– 65
- Huang, Y., Maximum genus and girth of graphs (Note) (1–3) 253–259
- Huang, Y. and Y. Liu, The maximum genus of graphs with diameter three (1–3) 139–149
- Idzik, A., see S. Bylka (1–3) 39– 58
- Károlyi, G., see M. Cochand (1–3) 249–252
- Kézdy, A.E. and C. Wang, Alternating walks in partially 2-edge-colored graphs and optimal strength of graph labeling (Note) (1–3) 261–265
- Laviolette, F. and N. Polat, Spanning trees of countable graphs omitting sets of dominated ends (1–3) 151–172
- Leo, J.W., Triads and triangles in 3-connected matroids (1–3) 173–193
- Liu, Y., see Y. Huang (1–3) 139–149
- Liu, Q.-Z., see B.-L. Chen (1–3) 59– 65
- Maltby, R., see P. Gibson (1–3) 107–127
- Maltby, R., Every cutset meets every fibre in certain poset products (1–3) 195–203

- Márquez, A., see R. Ayala (1-3) 13- 37
Melter, R.A., see F. Rhodes (1-3) 267-279
Neumann-Lara, V., see B. Ábrego (1-3) 1- 11
Polat, N. see F. Laviolette (1-3) 151-172
Quintero, A., see R. Ayala (1-3) 13- 37
Rhodes, F. and R.A. Melter, Geodetic metrizations of graphs (*Note*) (1-3) 267-279
Serfati, M., The lattice theory of r -ordered partitions (1-3) 205-227
Thatte, B.D., A reconstruction problem related to balance equations — II: The general case (*Note*) (1-3) 281-284
Tuza, Z., see S. Bylka (1-3) 39- 58
van Rees, G.H.J., see D.A. Drake (1-3) 87- 94
Villeneuve, D., see O. du Merle (1-3) 229-237
Wallis, W.D., see D.A. Drake (1-3) 87- 94
Wang, C., see A.E. Kézdy (1-3) 261-265
Xu, B., On integral sum graphs (*Note*) (1-3) 281-284
Xu, R., Some Ore-type conditions for the existence of connected $[2, k]$ -factors in graphs (1-3) 295-298

